بسم الله الركمز الركبر



جمهومرية العراق ونرامرة التعلي ه العالي والبحث العلمي دا ثرة البعثات والعلاقات الثقافية

التاريخ: المح المحادث

الى / السفارات العراقية كافه الدوائر الثقافية كافة

م/ تعليمات نشر بحوث الطلبه المبتعثين في المجلات الرصيئه

الحاقا باعمامنا المرقم ٢٤٨١٩ بتاريخ ٢٠١٠/١٠/١ الخاص بوجوب ذكر اسم الجامعه العراقيه عند نشر البحوث في مجلات عالميه رصينه بالنسبه للطلبه المبتعثين (بعثات دراسيه , زمالات , اجازات دراسيه و مساعده ماليه) , يتم اعتماد التعليمات التاليه:-

١- يتم اعتماد اسم الطالب المذكور في جواز السفر في البحث المنشور.

٢- مراعاة كتابه اسم الجامعة العراقيه التي ينتمي لها و الكلية والقسم وفقا للعناوين المعتمدة في دائرة البعثات (قائمه باسماء الجامعات العراقيه باللغه الانكليزيه لغرض اعتمادها لهذا الغرض مرفقه مع هذا الاعلان - المرفق ١-)

يحق للطالب ان يكتب عنوان الجامعه التي ينتسب اليها او الجامعه التي تخرج منها في العراق. يمكن اعتماد المثال التالي كصيغه لكيفيه اضافه اسم الجامعه العراقيه مع اسم الجامعه الاجنبيه التي يدرس فيها الطالب المبتعث.

Student's Name 1,2

- 1 The Iraqi university
- 2 The forign university of which the student is studying in

اسم الطالب ' . '
اسم الجامعه العراقيه
اسم الجامعه الاجنبيه التي يدرس
فيها الطالب المبتعث

بسر الله الركمز الركبر



جمهومرية العراق ونرامرة التعليد العالي والبحث العلمي دائرة البعثات والعلاقات الثقافية

العدد حريات

مع مراعاه ان يكون اسم الطالب هو الاول او الثاني في تملسل الباحثين المشاركين في كتابه البحث او ان يكون هو الكاتب صاحب الحقوق في المراسله (Corresponding Author) و المثال مرفق للتوضيح (المرفق ٢).

للتفضل بالاطلاع و إبلاغ الطلبه المبتطين في ساحه عملكم للعمل بموجبه.

مع التقدير.

إم.د. بهاء ابراهيم كاظم مدير العام لدائره البعثات و العلاقات الثقافيه وكاله ٢٠١٣/٣/

نسخه منه الي/

- * مكتب معالى السيد الوزير , للتفضل بالاطلاع ... مع التقدير.
- * مكتب السود الوكيل الاقدم ، التقضل بالاطلاع ... مع التقدير .
- * مكتب السيد الوكيل العلمي , للتفضل بالاطلاع ... مع التقدير.
- * اللجنه التنسيقيه مع المبادره التعليميه لمكتب رئيس الوزراء, للتقضل بالاطلاع و اعمامه للطلبه المبتعثين من قبلكم للعمل بموجبه ... مع التقدير.
 - * الجامعات كافه قسم العلاقات الثقافيه , للتفضل بالإطلاع و اعمامه على الكليات للعمل بموجبه مع التقدير .
 - * وزاره التعليم العالى في اقليم كردستان, للتقضل بالاطلاع و اعمامه على الجامعات في الاقليم للعمل بموجبه ... مع التقدير.
 - * قسم التقويم و معادله الشهادت مع الاوليات.

الجامعات الحكوميه العراقيه (و حسب ما ورد في الموقع الرسمي لكل جامعه)

ty of Baghdad	جامعة بغداد
versity of Mustansiriyah	الجامعة المستنصرية
ty of Basrah	جامعة البصرة
ty of Mosul	جامعة الموصل
ty of Technology	الجامعة التكنولوجية
ty of Kufa	جامعة الكوفة
iversity	جامعة تكريت
ry of Al-Qadisiyah	جامعة القادسية
ry of Anbar	جامعة الانبار
University	الجامعة العراقية
y of Babylon	جامعة بابل
University	جامعة النهرين
y of Diyala	جامعة ديالي
y of Karbala	جامعة كربلاء
Iniversity	جامعة ذي قار
niversity	جامعة كركوك
iversity	جامعة واسط
y of Misan	جامعة ميسان
na University	جامعة المثنى
y of Samarra	جامعة سامراء
Green University	جامعة القاسم الخضراء
on of Technical Education	هيئه التعليم التقني
y of Sulaimani	جامعة السليمانية
in University -Hawler	جامعة صلاح الدين
y of Duhok	جامعة دهوك
versity	جامعة كويه
ledical University	جامعة هولير الطبية



Contents lists available at SciVerse ScienceDirect

Composite Structures

journal homepage: www.elsevier.com/locate/compstruct



Finite element modelling of CFRP/steel double strap joints subjected to dynamic tensile loadings

Haider Al-Zubaidy a.c, Riadh Al-Mahaidi b.*, Xiao-Ling Zhao a

- * Department of Civil Engineering, Monash University, Clayton, VIC 3890, Australia
- Faculty of Engineering and Industrial Sciences, Swinburne University of Technology, Hawtinern, VIC 3122, Australia
- ⁶ Kerbala University, Kerbala, Iraq

ARTICLE INFO

Article history: Available online 14 December 2012

Keywords: CFRP sheet Double-strap joints Steel plate FE modelling Dynamic loadings

ABSTRACT

This paper reports the numerical simulation of both CFRP/steel double strap joints with 1 and 3 CFRP layers per side at quasi-static and three dynamic tensile loading speeds of 3.35, 4.43 and 5 m/s. Simulations are implemented using both the implicit and explicit codes respectively using non-linear finite element (FE) package ABAQUS. In these analyses, failures of both CFRP sheet and adhesive are considered and a cohesive element is utilised to model the interface. The developed FE models for both types of joints were validated by comparing their quasi-static and dynamic findings with those obtained from previous experimental program. This comparison includes four different variables such as the ultimate joint strength, effective bond length, failure pattern and strain distribution along the bond length. It was found that FE models proved to be able to predict all these parameters for both quasi-static and dynamic analyses and their prediction matched well with test results.

© 2012 Elsevier Ltd. All rights reserved.

1. Introduction

In recent years, the outstanding outcomes of strengthening and/ or upgrading concrete structures using the technique of adhesively bonded carbon fibre reinforced polymer (CFRP) have attracted the engineers' attention to employ the same method for metal structures. However, in general, conducting experimental tests has many drawbacks. These include cost, time, difficulties and limitations in testing full scale members and the difficulties in implementing a parametric study on different variables. These shortcomings highlight the importance of developing finite element models which are capable of predicting the behaviour of the strengthened and/or upgraded structures. Therefore, finite element analysis (FEA) has attracted an increasing demand to analyse adhesively bonded joints since the composite materials have become common materials of strengthening and/or upgrading.

Some numerical studies have been successfully carried out to predict the static and dynamic behaviour and strength of adhesively bonded joints of similar and dissimilar substrates under different loading conditions. Under static tensile loading, the behaviour and strength of CFRP composite adhesively bonded steel plates were examined in [1–6]. Other studies numerically analysed joints of similar adherends such as steel/steel [7], aluminium/aluminium [8] and composite/composite [9–11]. In addition, finite

element analysis of CFRP composite bonded to simply supported steel beams under bending were also reported in Refs. [12-14] and analysis for continuous beams were reported in [15]. However, the strength and behaviour of structural joints such as the single lap joints and T-joints, which were manufactured using rigid and elastic adhesives, were experimentally investigated and compared under static and impact loading [16]. On the other hand, compared to static loading, the dynamic behaviour and strength of adhesively bonded joints attracted limited attention in numerical studies. These investigations included joints of different substrates such as steel/steel [17], aluminium/aluminium [18] and composite/ composite [19]. Numerical prediction of the dynamic strength and behaviour of joints of CFRP sheet bonded to steel plates has not been reported in the literature. To cover this gap in knowledge, this paper aims at investigating the numerical simulation of CFRP/ double strap joints at quasi-static and the three dynamic loading speeds of 3.35 m/s, 4.43 m/s and 5 m/s using both implicit and explicit codes in ABAQUS. Results of numerical simulations are compared with experimental findings.

2. Summary of laboratory work

A total of 160 CFRP/steel double strap joints were prepared and tested at quasi-static and three dynamic loading speeds of 3.35, 4.43 and 5 m/s and this number included two types of joints with 1 and 3 CFRP layers per side. These joints were formed by bonding normal modulus CFRP sheet to steel plate using Araldite 420

Corresponding author.
 E-moil address: ralmahaidi@swin.edu.au (R. Al-Mahaidi).